Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	119	((calibrat\$5 or correct\$4) with extrusion\$1 with (press or presses\$1 or pressed or pressing\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 09:23
L2	11	((calibrat\$5 or correct\$4) with extrusion\$1 with (press or presses\$1 or pressed or pressing\$1)) and stem\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 09:25
L3	42	((calibrat\$5 or correct\$4) with (press or presses\$1 or pressed or pressing\$1)) and stem\$1 and (extrusion\$4 with (press or presses\$1 or pressed or pressing\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 09:26
L4	35	((calibrat\$5 or correct\$4) with (press or presses\$1 or pressed or pressing\$1)) and stem\$1 and (extrusion\$4 with (press or presses\$1 or pressed or pressing\$1)) and (axis or axes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 09:26
L5	23	((calibrat\$5 or correct\$4) with (press or presses\$1 or pressed or pressing\$1)) and stem\$1 and (extrusion\$4 with (press or presses\$1 or pressed or pressing\$1)) and ((axis or axes) with stem\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 09:31
L6	47	((calibrat\$5 or correct\$4 or align\$5) with (press or presses\$1 or pressed or pressing\$1)) and stem\$1 and (extrusion\$4 with (press or presses\$1 or pressed or pressing\$1)) and ((axis or axes) with stem\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 09:34
L7	59	((calibrat\$5 or correct\$4 or align\$5) with (press or presses\$1 or pressed or pressing\$1)) and stem\$1 and (extrusion\$4 with (press or presses\$1 or pressed or pressing\$1)) and ((axis or axes or axial\$4) with stem\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 09:38

			.			
L8	86	((calibrat\$5 or correct\$4 or align\$5) with (press or presses\$1 or pressed or pressing\$1)) and stem\$1 and ((extrusion\$4 or extrud\$4) with (press or presses\$1 or pressed or pressing\$1)) and ((axis or axes or axial\$4) with stem\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 09:54
L9	30	((calibrat\$5 or correct\$4 or align\$5) with (press or presses\$1 or pressed or pressing\$1)) and stem\$1 and ((extrusion\$4 or extrud\$4) with (press or presses\$1 or pressed or pressing\$1)) and ((axis or axes or axial\$4) with stem\$1 with container\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 10:02
L10	30	((calibrat\$5 or correct\$4 or align\$5) with (press or presses\$1 or pressed or pressing\$1)) and (stem\$1 with (axis or axes or axial\$4)) and ((extrusion\$4 or extrud\$4) with (press or presses\$1 or pressed or pressing\$1)) and ((axis or axes or axial\$4) with stem\$1 with container\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 13:11
L11	1	((calibrat\$5 or correct\$4 or align\$5) with (press or presses\$1 or pressed or pressing\$1)) and (stem\$1 with (axis or axes or axial\$4)) and ((extrusion\$4 or extrud\$4) with (press or presses\$1 or pressed or pressing\$1)) and ((axis or axes or axial\$4) with stem\$1 with container\$1) and laser\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 13:10
L12	10	((calibrat\$5 or correct\$4 or align\$5) with (press or presses\$1 or pressed or pressing\$1)) and (stem\$1 with (axis or axes or axial\$4)) and ((extrusion\$4 or extrud\$4) with (press or presses\$1 or pressed or pressing\$1)) and ((axis or axes or axial\$4) with stem\$1 with container\$1) and screw\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 10:18

L13	10	((calibrat\$5 or correct\$4 or align\$5) with (press or presses\$1 or pressed or pressing\$1)) and (stem\$1 with (axis or axes or axial\$4)) and ((extrusion\$4 or extrud\$4) with (press or presses\$1 or pressed or pressing\$1)) and ((axis or axes or axial\$4) with stem\$1 with container\$1) and (screw\$4 or jackscrew\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 12:45
L14	2	((calibrat\$5 or correct\$4 or align\$5) with (press or presses\$1 or pressed or pressing\$1)) and (stem\$1 with (axis or axes or axial\$4)) and ((extrusion\$4 or extrud\$4) with (press or presses\$1 or pressed or pressing\$1)) and ((coaxial\$5 or (co adj axi\$6)) with stem\$1 with container\$1) and (screw\$4 or jackscrew\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 12:55
L15	155	(702/105).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 13:20
L16	1060	(702/93,94,85).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 13:10
L17	590	(72/31.04,272,273).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 13:10
L18	0	I15 and ((calibrat\$5 or correct\$4 or align\$5) with (press or presses\$1 or pressed or pressing\$1)) and (stem\$1 with (axis or axes or axial\$4)) and ((extrusion\$4 or extrud\$4) with (press or presses\$1 or pressed or pressing\$1)) and ((axis or axes or axial\$4) with stem\$1 with container\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 13:11

L19	0	l16 and ((calibrat\$5 or correct\$4 or align\$5) with (press or presses\$1 or pressed or pressing\$1)) and (stem\$1 with (axis or axes or axial\$4)) and ((extrusion\$4 or extrud\$4) with (press or presses\$1 or pressed or pressing\$1)) and ((axis or axes or axial\$4) with stem\$1 with container\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 13:11
L20	8	I17 and ((calibrat\$5 or correct\$4 or align\$5) with (press or presses\$1 or pressed or pressing\$1)) and (stem\$1 with (axis or axes or axial\$4)) and ((extrusion\$4 or extrud\$4) with (press or presses\$1 or pressed or pressing\$1)) and ((axis or axes or axial\$4) with stem\$1 with container\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 13:11